



Creative Fibre

Approximate Reed Sizes Imperial versus Metric

Imperial	5	6.25	7.5	8	10	12.5	15	17.5
Metric	20/10	25/10	30/10	32/10	40/10	50/10	60/10	70/10

See the following pages for imperial and metric reed substitution charts



Creative Fibre Reed Substitution Chart Imperial

Sley in Reed	5	6	8	10	12	15	16	18
0-0-0-1	2	2	3	3	4	5	5	6
0-1	2.5	3	4	5	6	7.5	8	9
0-1-1	3	4	5	7	8	10	11	12
0-1-1-1	4	4.5	6	7.5	9	11.5	12	13.5
1	5	6	8	10	12	15	16	18
1-1-1-2	6	7.5	10	12.5	15	19	20	22.5
1-1-2	7	8	11	13	16	20	21	24
1-2	7.5	9	12	15	18	22.5	24	27
1-2-2	8	10	13	17	20	25	27	30
1-2-2-2	9	10.5	14	17.5	21	26	28	31.5
2	10	12	16	20	24	30	32	36
2-2-2-3	11	13.5	18	22.5	27	34	36	40.5
2-2-3	12	14	19	23	28	35	37	42
2-3	12.5	15	20	25	30	37.5	40	45
2-3-3	13	16	21	27	32	40	43	48
2-3-3-3	14	16.5	22	27.5	33	41	44	49.5
3	15	18	24	30	36	45	48	54
3-3-3-4	16	19.5	26	32.5	39	49	52	58.5
3-3-4	17	20	27	33	40	50	53	60
3-4	17.5	21	28	35	42	52.5	56	63
3-4-4	18	22	29	37	44	55	59	66
4	20	24	32	40	48	60	64	72
4-4-5	22	26	35	43	52	65	69	78
4-5	22.5	27	36	45	54	67.5	72	81
4-5-5	23	28	37	47	56	70	75	84
5	25	30	40	50	60	75	80	90

To read a Reed Substitution chart look at the top row for the reed size you are using, look down the column to the required sett and then across to the most left-hand column for the sley order.



Creative Fibre Reed Substitution Chart Metric

Sley in Reed	20	25	30	32	40	50	60	70
0-0-0-1	0.5	0.6	0.8	0.8	1	1.3	1.5	1.8
0-1	1.0	1.3	1.5	1.6	2	2.5	3	3.5
0-1-1	1.3	1.7	2.0	2.1	2.7	3.3	4	4.7
0-1-1-1	1.5	1.9	2.3	2.4	3	3.8	4.5	5.3
1	2	2.5	3	3.2	4	5	6	7
1-1-1-2	2.5	3.1	3.8	4	5	6.3	7.5	8.8
1-1-2	2.7	3.3	4	4	5.3	6.7	8	9.3
1-2	3	3.8	4.5	4.8	6	7.5	9	10.5
1-2-2	3.3	4.2	5	5	6.7	8.3	10	11.7
1-2-2-2	3.5	4.4	5.3	5.6	7	8.8	10.5	12.3
2	4	5	6	6	8	10	12	14
2-2-2-3	4.5	5.6	6.8	7.2	9	11.3	13.5	15.8
2-2-3	4.7	5.8	7	7	9.3	11.7	14	16.3
2-3	5	6.3	7.5	8.0	10	12.5	15	17.5
2-3-3	5.3	6.7	8	9	10.7	13.3	16	18.7
2-3-3-3	5.5	6.9	8.3	8.8	11	13.8	16.5	19.3
3	6	8	9	10	12	15	18	21
3-3-3-4	6.5	8.1	9.8	10.4	13	16.3	19.5	22.8
3-3-4	6.7	8.3	10	11	13.3	16.7	20	23.3
3-4	7	8.8	10.5	11.2	14	17.5	21	24.5
3-4-4	7.3	9.2	11	12	14.7	18.3	22	25.7
4	8	10	12	13	16	20	24	28
4-4-5	8.7	10.8	13	14	17.3	21.7	26	30.3
4-5	9	11.3	13.5	14.4	18	22.5	27	31.5
4-5-5	9.3	11.7	14	15	18.7	23.3	28	32.7
5	10	13	15	16	20	25	30	35

To read a Reed Substitution chart look at the top row for the reed size you are using, look down the column to the required sett and then across to the most left-hand column for the sley order.

